Ref #	Hits	Search Query	DBs .	Default Operator	Plurals	Time Stamp
S69	. 15	"717"/\$.ccls. ((pars\$4 or scan\$4 or map\$4) with (site or file)) ((web adj site) near4 (analy\$8 or monitor\$4 or simulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/05/10 07:37
S68	13	"717"/\$.ccls. ((pars\$4 or scan\$4 or map\$4) with file) ((web adj site) near4 (analy\$8 or monitor\$4 or simulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/10 07:36
S67	7	"717"/\$.ccls. ((pars\$4 or scan\$4 or map\$4) near8 file) ((web adj site) near4 (analy\$8 or monitor\$4 or simulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/10 07:36
S66	6	"717"/\$.ccls. (pars\$4 near8 file) ((web adj site) near4 (analy\$8 or monitor\$4 or simulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/10 07:35
S1	0	09/971720	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/10 07:25
S65	7	(monitor\$7 with web) ((descript\$4 or configuration) adj2 file) @ay<"2003" monitor\$4.clm. (web.clm. with based.clm.) @ay<"2003" pars\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 17:07
S64	26	(monitor\$7 with web) ((descript\$4 or configuration) adj2 file) @ay<"2003" monitor\$4.clm. (web.clm. with based.clm.) @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 17:06
S63	26	(monitor\$7 with web) ((descript\$4 or configuration) adj2 file) @ay<"2003" monitor\$4.clm. (web.clm. with based.clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 17:06
S62	201	(monitor\$7 with web) ((descript\$4 or configuration) adj2 file) @ay<"2003" monitor\$4.clm. (web.clm. or based.clm.) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 17:05
S61	252	(monitor\$7 with web) ((descript\$4 or configuration) adj2 file) @ay<"2003" monitor\$4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 17:00
S60	655	(monitor\$7 with web) ((descript\$4 or configuration) adj2 file) @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 17:00

S59	5	(monitor\$7 same heart\$8 same web) ((descript\$4 or configuration) adj2 file) @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 17:00
S58	2	(monitor\$7 same heart\$8 same web) ((descript\$4 or configuration) adj2 file) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 16:56
S57	13	(monitor\$7 same heart\$8 same web) ((descript\$4 or configuration) adj2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 16:56
S56	283	(monitor\$7 same heart\$8 same web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 16:55
S55	7	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) ((descriptor or (description adj2 file) or (configuration adj2 file)) near6 (pars\$4 or generat\$4 or buil\$4 or creat\$4)) ((monitor\$4 or manag\$6) same (gui or visual\$6 or graphic\$6 or based)) pars\$4 xml @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/08 16:54
S54	48	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) ((descriptor or (description adj2 file) or (configuration adj2 file)) near6 (pars\$4 or generat\$4 or buil\$4 or creat\$4)) ((monitor\$4 or manag\$6) same (gui or visual\$6 or graphic\$6 or based)) pars\$4 xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 14:41
S53	299	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) ((descriptor or (description adj2 file) or (configuration adj2 file) or pars\$4) same (generat\$4 or buil\$4 or creat\$4)) ((monitor\$4 or manag\$6) same (gui or visual\$6 or graphic\$6 or based)) pars\$4 xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 14:38
S52	473	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) ((descriptor or (description adj2 file) or (configuration adj2 file) or pars\$4) same (generat\$4 or buil\$4 or creat\$4)) ((monitor\$4 or manag\$6) same (gui or visual\$6 or graphic\$6 or based)) pars\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 13:54
S51	657	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) ((descriptor or (description adj2 file) or (configuration adj2 file) or pars\$4) same (generat\$4 or buil\$4 or creat\$4)) ((monitor\$4 or manag\$6) same (gui or visual\$6 or graphic\$6 or based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 13:51
S50	520	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) ((descriptor or (description adj2 file) or (configuration adj2 file) or pars\$4) same (generat\$4 or buil\$4 or creat\$4)) monitor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 13:43

S49	657	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) ((descriptor or (description adj2 file) or (configuration adj2 file) or pars\$4) same (generat\$4 or buil\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 13:40
S48	1149	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise)) (descriptor or (description adj2 file) or (configuration adj2 file) or pars\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 13:39
S47	4596	((browser\$1based or internet\$1based or web\$1based or ((browser or internet or web) adj based)) with (manag\$6 or monitor\$4) with (\$4site or \$4page or system or framework or enterprise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 13:38
S45	82	((enterprise or application or remot\$4) with (web or browser) with monitor\$4 with based) ((descriptor or description or configuration) near4 (pars\$4 or read\$4 or analy\$6)) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:52
S44	200	((enterprise or application or remot\$4) with (web or browser) with monitor\$4 with based) ((descriptor or description or configuration) near4 (pars\$4 or read\$4 or analy\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:52
S43	9	((enterprise or application or remot\$4) with (web or browser) with monitor\$4 with based) ((descriptor or description or configuration) near4 pars\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:51
S42	707	((enterprise or application or remot\$4) with (web or browser) with monitor\$4 with based) (descriptor or description or configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:51
S41	14	(enterprise with (web or browser) with monitor\$4 with based) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:50
S40	43	(enterprise with (web or browser) with monitor\$4 with based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:46
S39	163	(enterprise with (web or browser) with monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:46
S38	16	((internet\$1based or web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6 near6 (web\$1site or site or system or application or framework or enterprise)) (file near2 (configuration or description)) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:46

			•			
S37	49	((internet\$1based or web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6 near6 (web\$1site or site or system or application or framework or enterprise)) (file near2 (configuration or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:42
S36	617	((internet\$1based or web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6 near6 (web\$1site or site or system or application or framework or enterprise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:42
S31	19	((web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6 near6 (web\$1site or site or system or application or framework or enterprise)) ((description or configuration) near4 (file or template)) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:28
S30	55	((web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6 near6 (web\$1site or site or system or application or framework or enterprise)) ((description or configuration) near4 (file or template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:21
S27	380	((web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6 near6 (web\$1site or site or system or application or framework or enterprise)) ((description or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:21
S26	386	((web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6 near6 (web\$1site or site or system or application or framework or enterprise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:18
S25	24	((web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6) (((configurat\$4 or descript\$4) near3 (file or template)) near6 (pars\$4 or analy\$8 or read\$4 or process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/05/06 08:17
S24	115	((web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6) ((configurat\$4 or descript\$4) near3 (file or template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:05
S23	766	((web\$1based or browser\$1based or (web adj based) or (browser adj based)) near6 monitor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/06 08:04
S22	72	((web\$1page or (web adj page) or web\$1site or (web adj site)) near6 (buil\$6 or generat\$4 or creat\$4)) ((descript\$6 or configur\$6) near6 pars\$4) ((graphic\$4 or visual\$6) with (portal or webpage or website or web or page)) (((manag\$6 or monitor\$4) near8 (web or portal or page or website or webpage)) same (graphic\$6 or display\$4 or visual\$4)) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 14:35
S21	96	((web\$1page or (web adj page) or web\$1site or (web adj site)) near6 (buil\$6 or generat\$4 or creat\$4)) ((descript\$6 or configur\$6) near6 pars\$4) ((graphic\$4 or visual\$6) with (portal or webpage or website or web or page)) (((manag\$6 or monitor\$4) near8 (web or portal or page or website or webpage)) same (graphic\$6 or display\$4 or visual\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2007/05/05 14:35

		•	_			
S20	177	((web\$1page or (web adj page) or web\$1site or (web adj site)) near6 (buil\$6 or generat\$4 or creat\$4)) ((descript\$6 or configur\$6) near6 pars\$4) ((graphic\$4 or visual\$6) with (portal or webpage or website or web or page)) ((manag\$6 or monitor\$4) near8 (web or portal or page or website or webpage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 14:35
S19	282	((web\$1page or (web adj page) or web\$1site or (web adj site)) near6 (buil\$6 or generat\$4 or creat\$4)) ((descript\$6 or configur\$6) near6 pars\$4) ((graphic\$4 or visual\$6) with (portal or webpage or website or web or page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 14:34
S18	549	((web\$1page or (web adj page) or web\$1site or (web adj site)) near6 (buil\$6 or generat\$4 or creat\$4)) ((descript\$6 or configur\$6) near6 pars\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 14:32
S17	22531	((web\$1page or (web adj page) or web\$1site or (web adj site)) near6 (buil\$6 or generat\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 14:31
S16	45	((visual\$8 or graphic\$8) with web with portal) (web\$1page or page) ((configur\$6 or descript\$4) near6 (template or file or analy\$8 or pars\$4)) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 10:20
S15	117	((visual\$8 or graphic\$8) with web with portal) (web\$1page or page) ((configur\$6 or descript\$4) near6 (template or file or analy\$8 or pars\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 10:20
S14	312	((visual\$8 or graphic\$8) with web with portal) (web\$1page or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 09:24
S13	362	((visual\$8 or graphic\$8) with web with portal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/05 09:24
S12	2375	((graphic\$8 or visual\$4) near8 (software or (system near file))) (web-based or browser-based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 08:01
S11	15	((graphic\$8 or visual\$4) near8 architecture near8 software) (web-based or browser-based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 08:01
S10	467	((graphic\$8 or visual\$4) near8 architecture) (web-based or browser-based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:56

			_			
S9	24	(graphic\$8 with (display\$4 or generat\$4) with architecture with software) analy\$8 dynamic\$8 (web\$1page or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:55
S8	107	(graphic\$8 with (display\$4 or generat\$4) with architecture with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:52
S7	21	((web adj2 portal) near8 (tool or generat\$4 or creat\$4 or buil\$4)) ((automat\$8 or dynamic\$6) near4 (generat\$4 or creat\$4 or buil\$4)) (((descript\$4 or configur\$6) near3 file) or template) ((web\$1page or page) same portal) @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:49
S6	62	((web adj2 portal) near8 (tool or generat\$4 or creat\$4 or buil\$4)) ((automat\$8 or dynamic\$6) near4 (generat\$4 or creat\$4 or buil\$4)) (((descript\$4 or configur\$6) near3 file) or template) ((web\$1page or page) same portal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:24
S5	83	((web adj2 portal) near8 (tool or generat\$4 or creat\$4 or buil\$4)) ((automat\$8 or dynamic\$6) near4 (generat\$4 or creat\$4 or buil\$4)) (((descript\$4 or configur\$6) near3 file) or template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:24
S4	129	((web adj2 portal) near4 (tool or generat\$4 or creat\$4 or buil\$4)) ((automat\$8 or dynamic\$6) near4 (generat\$4 or creat\$4 or buil\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:22
S2	279	((web adj2 portal) near4 (tool or generat\$4 or creat\$4 or buil\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:21
S3	5	(((web adj2 portal) near4 (tool or generat\$4 or creat\$4 or buil\$4)) with (automa\$8))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/04 07:17